

# TEST REPORT

Report No.: HND0022/2019  
 Page: 1 of 4  
 Date: February 6, 2020

NORCOMP

3810 SHUTTERFLY RD., SUITE #200,  
 CHARLOTTE, N.C. 28217, U.S.A.

The following merchandise was submitted and identified by the vendor as:

Product Description: cable pair  
Style / Item No.: 855-005-203R004/854-005-103RLS4 / No.1  
Country of Origin: Taiwan  
Quantity: Total 1 piece  
Testing Period: Jan. 21, 2020

We have tested the submitted sample(s) as requested and the following results were obtained:

Test Required:

Test for Degrees of Protection Provided by Enclosures (IEC 60529 Edition 2.2: 2013)

IP Code	IPX8
First characteristic numeral	Omitted
Second characteristic numeral	Degrees of protection against ingress of water

Test Results:

Conclusion
Submittals sample(s) comply with the requirement and acceptance conditions of IEC 60529 Edition 2.2: 2013 Degrees of Protection Provided by Enclosures--IPX8 The detailed description of test result, please see attached sheet(s).

Signed for and on behalf of  
 SGS TAIWAN Ltd.

Ivan Wang

Ivan Wang  
 Team Leader

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留 90 天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/en/Terms-and-Conditions.aspx](http://www.sgs.com/en/Terms-and-Conditions.aspx) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/terms-and-conditions/terms-e-document](http://www.sgs.com/en/terms-and-conditions/terms-e-document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

# TEST REPORT

Report No.: HND0022/2019

Page: 2 of 4

## Test for Degrees of Protection Provided by Enclosures:

### Test Equipment:

Name	Brand	Model	Serial No.
Immersion Pressure Tank	self-made	SGS-ETR-1512	000001

### Lab Environmental Conditions:

Ambient temperature: (15 ~ 35)°C

Ambient humidity: (25 ~ 75) % RH

Test Location: No.33, Wu Chyuan Road, New Taipei Industrial Park, WuKu District, New Taipei City, Taiwan

### Test Method/ Specification:

Test method: IEC 60529 Edition 2.2: 2013--IPX8

Sample condition: Mated

Test means: Completely immerse the specimen in water in its service position as specified by client.

Test condition: The lowest point of enclosures with a height is located 3 m below the surface of the water (approximately 0.31 kg/cm<sup>2</sup>)

Test duration: 2 hours

Test Device: As shown in photo 3, 4

- Examine the protection against ingress water of specimen(s) after this test.

# TEST REPORT

Report No.: HND0022/2019

Page: 3 of 4

**Specimen:**

Style / Item No.: 855-005-203R004/854-005-103RLS4 / No.1

Quantity: Total 1 piece


**Test Result:**

Degree of protection against ingress of water (IPX8)

Test Result		
Check Item	Style / Item No.	
	855-005-203R004/854-005-103RLS4 / No.1	
1	Does any water enter the enclosure?	No
2	(followed check item 1) If any water has entered, does the water accumulate near the cable end or live parts?	N/A
2.1	(followed check item 2) Does the water be sufficient to interfere with the correct operation of the equipment or impair safety?	N/A
2.2	(followed check item 2.1) Does the water deposit on insulation parts where it could lead to tracking along the creepage distances?	N/A
2.3	(followed check item 2.2) Does the water reach live parts or windings not designed to operate when wet?	N/A
Note 1: N/A means "Not Applicable".		
Note 2: The check items in this test report for inspecting the degree of protection provided by enclosures are reference to the requirements specified in IEC 60529 Edition 2.2: 2013 and in accordance with the acceptance conditions specified by client.		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留 90 天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/en/Terms-and-Conditions.aspx](http://www.sgs.com/en/Terms-and-Conditions.aspx) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/terms-and-conditions/terms-e-document](http://www.sgs.com/en/terms-and-conditions/terms-e-document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Photos:



— — — The End of Test Report — — —

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留 90 天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/en/Terms-and-Conditions.aspx](http://www.sgs.com/en/Terms-and-Conditions.aspx) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/terms-and-conditions/terms-e-document](http://www.sgs.com/en/terms-and-conditions/terms-e-document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.